

RB-LPL Cited References

Roar LPL Activity Assay Kit

1. Chugh SS, inventor"Methods of modulating the sialylation of Angptl4." U.S. Patent No. 9,827,259. **2017**.
2. Laperrousaz E, Moullé VS, Denis RG, et al. Lipoprotein lipase in hypothalamus is a key regulator of body weight gain and glucose homeostasis in mice. *Diabetologia*. **2017**;60(7):1314-1324.
3. Lee H, Yu W, Guo Y, Huang S. β -Glucan, but not lactobacillus plantarum P-8, inhibits lipid accumulation through selected lipid metabolic enzymes in obese rats. *J Food Biochem*. **2017**;41(1).
4. Lun Y, Sun X, Wang P, Chi J, Hou X, Wang Y. Severe hypertriglyceridemia due to two novel loss-of-function lipoprotein lipase gene mutations (C310R/E396V) in a chinese family associated with recurrent acute pancreatitis. *Oncotarget*. **2017**;8(29):47741-47754.
5. Sairyo M, Kobayashi T, Masuda D, et al. A novel selective PPAR α modulator (SPPARMa), K-877 (pemafibrate), attenuates postprandial hypertriglyceridemia in mice. *J Atheroscler Thromb*. **2017**:39693.
6. Takei K, Nakagawa Y, Wang Y, et al. Effects of K-877, a novel selective PPAR α modulator, on small intestine contribute to the amelioration of hyperlipidemia in low-density lipoprotein receptor knockout mice. *Journal of pharmacological sciences*. **2017**;133(4):214-222.
7. Banskota AH, Steevensz AJ, Stefanova R, et al. Pancreatic lipase inhibitory activity of monogalactosyldiacylglycerols isolated from the freshwater microalga chlorella sorokiniana. *J Appl Phycol*. **2016**;28(1):169-175.
8. Chugh SS, inventor"Methods for treatment of nephrotic syndrome and related conditions." U.S. Patent No. 9,475,850. **2016**.
9. Duszka K, Picard A, Ellero-Simatos S, et al. Intestinal PPAR γ signalling is required for sympathetic nervous system activation in response to caloric restriction. *Scientific reports*. **2016**;6:36937.
10. Hao ZM, Ye YF, Zhang YK, Yang SF, Ye XL. Lipoprotein lipase and lipid profiles in plasma and placenta from normal pregnancies compared with patients with intrahepatic cholestasis of pregnancy. *Eur J Obstet Gynecol Reprod Biol*. **2016**;203:279-285.
11. Liu Y, Lun Y, Lv W, Hou X, Wang Y. A chinese patient with recurrent pancreatitis during pregnancy induced by hypertriglyceridemia associated with compound heterozygosity (Glu242Lys and Leu252Val) in the lipoprotein lipase gene. *Journal of Clinical Lipidology*. **2016**;10:199-203.
12. Notarnicola M, Tutino V, Tafaro A, Bianco G, Guglielmi E, Caruso MG. Dietary olive oil induces cannabinoid CB2 receptor expression in adipose tissue of ApcMin/transgenic mice. *Nutrition and healthy aging*. **2016**;4(1):73-80.
13. Yokota T, Nomura K, Nagashima M, Kamimura N. Fucoidan alleviates high-fat diet-induced dyslipidemia and atherosclerosis in ApoE sh1 mice deficient in apolipoprotein E expression. *J Nutr Biochem*. **2016**;32:46-54.
14. Barrett HL, Kubala MH, Scholz Romero K, et al. Placental lipase expression in pregnancies complicated by preeclampsia: A case-control study. *Reprod Biol Endocrinol*. **2015**;13:100.
15. Barrile R, Zenerino C, Giuffrida D, et al. Placental contribution to fetal neurological development: Role of placenta-derived mesenchymal stromal cells (PDMSCs) in physiological and preeclamptic pregnancies. *Placenta*. **2015**;36(9):A29-A30.
16. Cai Y, Ying F, Song E, et al. Mice lacking prostaglandin E receptor subtype 4 manifest disrupted lipid metabolism attributable to impaired triglyceride clearance. *FASEB J*. **2015**;29(12):4924-4936.
17. Chugh SS, inventor"Methods for treatment of nephrotic syndrome and related conditions." U.S. Patent No. 9,139,629. **2015**.
18. Diaz P, Harris J, Rosario FJ, Powell TL, Jansson T. Increased placental fatty acid transporter 6 and binding protein 3 expression and fetal liver lipid accumulation in a mouse model of obesity in pregnancy. *Am J Physiol Regul Integr Comp Physiol*. **2015**;309(12):R1569-77.
19. Girardi T, Salafia C, Shah R, et al. Angles in normal placental chorionic surface vessel networks follow hydrodynamic bifurcation rules. *Placenta*. **2015**;36(9):A30-A31.
20. Powell T, Ramirez V, Miller E, Vasam S, Lager S. Angiotensin like 4 inhibits placental LPL activity. *Placenta*. **2015**;36(9):A30.
21. Tomi M, Akashi T, Takaki Y, Nishimura T, Nakashima E. Syncytiotrophoblast layer 2 expresses MDR1 and BCRP efflux transporters in rodent placenta. *Placenta*. **2015**;36(9):A30.
22. Uchiyama T, Tomono S, Sato K, Nakamura T, Kurabayashi M, Okajima F. Angiotensin II reduces lipoprotein lipase expression in visceral adipose tissue via phospholipase C β 4 depending on feeding but increases lipoprotein lipase expression in subcutaneous adipose tissue via c-src. *PLoS one*. **2015**;10(10):e0139638.
23. Uno K, Yamada T, Ishigaki Y, et al. A hepatic amino acid/mTOR/S6K-dependent signalling pathway modulates systemic lipid metabolism via neuronal signals. *Nature communications*. **2015**;6(7940).
24. Archer A, Laurencikiene J, Ahmed O, et al. Skeletal muscle as a target of LXR agonist after long-term treatment: Focus on lipid homeostasis. *Am J Physiol Endocrinol Metab*. **2014**;306(5):E494-502.
25. Bouvy-Liivrand M, Heinaniemi M, John E, Schneider JG, Sauter T, Sinkkonen L. Combinatorial regulation of lipoprotein lipase by microRNAs during mouse adipogenesis. *RNA Biol*. **2014**;11(1):76-91.
26. Cansell C, Castel J, Denis RG, et al. Dietary triglycerides act on mesolimbic structures to regulate the rewarding and motivational aspects of feeding. *Mol Psychiatry*. **2014**;19(10):1095-1105.
27. Frolova EG, Drazba J, Krukovets I, et al. Control of organization and function of muscle and tendon by thrombospondin-4. *Matrix Biol*. **2014**;37:35-48.
28. Kim DH, Zhang T, Lee S, et al. FoxO6 integrates insulin signaling with MTP for regulating VLDL production in the liver. *Endocrinology*. **2014**;155(4):1255-1267.
29. Mattijssen F, Alex S, Swarts HJ, Groen AK, van Schothorst EM, Kersten S. Angptl4 serves as an endogenous inhibitor of intestinal lipid digestion. *Molecular Metabolism*. **2014**;3(2):135-144.

30. Picard A, Rouch C, Kassis N, et al. Hippocampal lipoprotein lipase regulates energy balance in rodents. *Molecular Metabolism*. **2014**;3(2):167-176.
31. Prashanth A, Jeyakumar SM, Giridharan NV, Vajreswari A. Vitamin A-enriched diet modulates reverse cholesterol transport in hypercholesterolemic obese rats of the WNIN/Ob strain. *J Atheroscler Thromb*. **2014**;21(11):1197-1207.
32. Tinoco AB, Naslund J, Delgado MJ, de Pedro N, Johnsson JI, Jonsson E. Ghrelin increases food intake, swimming activity and growth in juvenile brown trout (*salmo trutta*). *Physiol Behav*. **2014**;124:15-22.
33. Dube E, Ethier-Chiasson M, Lafond J. Modulation of cholesterol transport by insulin-treated gestational diabetes mellitus in human full-term placenta. *Biol Reprod*. **2013**;88(1):16, 1-10.
34. Gaccioli F, White V, Capobianco E, Powell TL, Jawerbaum A, Jansson T. Maternal overweight induced by a diet with high content of saturated fat activates placental mTOR and eIF2alpha signaling and increases fetal growth in rats 1. *Biol Reprod*. **2013**;89(4).
35. Kim J, Jia X, Buckett PD, Liu S, Lee C, Wessling-Resnick M. Iron loading impairs lipoprotein lipase activity and promotes hypertriglyceridemia. *The FASEB Journal*. **2013**;27(4):1657-1663.
36. Kotas ME, Jurczak MJ, Annicelli C, et al. Role of caspase-1 in regulation of triglyceride metabolism. *Proceedings of the National Academy of Sciences*. **2013**;110(12):4810-4815.
37. Mirmiranpour H, Mousavizadeh M, Noshad S, et al. Comparative effects of pioglitazone and metformin on oxidative stress markers in newly diagnosed type 2 diabetes patients: A randomized clinical trial. *J Diabetes Complications*. **2013**;27(5):501-507.
38. Tasdelen I, Berger R, Kalkhoven E. PPAR γ regulates expression of carbohydrate sulfotransferase 11 (CHST11/C4ST1), a regulator of LPL cell surface binding. *PLoS ONE*. **2013**;8(5):e64284. doi: 10.1371/journal.pone.0064284.
39. Caimari A, Del Bas J, Crescenti A, Arola L. Low doses of grape seed procyanidins reduce adiposity and improve the plasma lipid profile in hamsters. *Int J Obes*. **2012**;1-8. doi: 10.1038/ijo.2012.75.
40. Dube E, Gravel A, Martin C, et al. Modulation of fatty acid transport and metabolism by maternal obesity in the human full-term placenta. *Biol Reprod*. **2012**;87(1):14, 1-11. doi: 10.1095/biolreprod.111.098095.
41. Notarnicola M, Miccolis A, Tutino V, Lorusso D, Caruso MG. Low levels of lipogenic enzymes in peritumoral adipose tissue of colorectal cancer patients. *Lipids*. **2012**;47:1-63.
42. Notarnicola M, Misciagna G, Tutino V, et al. Increased serum levels of lipogenic enzymes in patients with severe liver steatosis. *Lipids in Health and Disease*. **2012**;11(1):145.
43. Quesada H, Díaz S, Pajuelo D, et al. The lipid-lowering effect of dietary proanthocyanidins in rats involves both chylomicron-rich and VLDL-rich fractions. *Br J Nutr*. **2012**;108(02):208-217.
44. Sun HY, Lin CC, Lee JC, et al. Very low-density lipoprotein/lipo-viro particles reverse lipoprotein lipase-mediated inhibition of hepatitis C virus infection via apolipoprotein C-III. *Gut*. **2012**. doi: 10.1136/gutjnl-2011-301798.
45. Yamazaki T, Kishimoto K, Ezaki O. The ddY mouse: A model of postprandial hypertriglyceridemia in response to dietary fat. *J Lipid Res*. **2012**;53(10):2024-2037. doi: 10.1194/jlr.M023713; 10.1194/jlr.M023713.
46. Yang C, Wang C, Ye M, et al. Control of lipid metabolism by adipocyte FGFR1-mediated adipohepatic communication during hepatic stress. *Nutrition & Metabolism*. **2012**;9(1):94.
47. Zhang R. Lipasin, a novel nutritionally-regulated liver-enriched factor that regulates serum triglyceride levels. *Biochem Biophys Res Commun*. **2012**;424(4):786-792. doi: 10.1016/j.bbrc.2012.07.038.
48. Amigo L, Husche C, Zanlungo S, et al. Cholecystectomy increases hepatic triglyceride content and very-low-density lipoproteins production in mice. *Liver International*. **2011**;31(1):52-64.
49. Szalowska E, Meijer K, Kloosterhuis N, Razaee F, Priebe M, Vonk RJ. Sub-chronic administration of stable GIP analog in mice decreases serum LPL activity and body weight. *Peptides*. **2011**;32(5):938-945. doi: 10.1016/j.peptides.2011.02.011.
50. Kim SJ, Nian C, McIntosh CH. GIP increases human adipocyte LPL expression through CREB and TORC2-mediated trans-activation of the LPL gene. *J Lipid Res*. **2010**;51(11):3145-3157. doi: 10.1194/jlr.M006841.
51. Liu X, Miyazaki M, Flowers MT, et al. Loss of stearoyl-CoA desaturase-1 attenuates adipocyte inflammation: Effects of adipocyte-derived oleate. *Arterioscler Thromb Vasc Biol*. **2010**;30(1):31-38.
52. Mulumba M, Jossart C, Granata R, et al. GPR103b functions in the peripheral regulation of adipogenesis. *Molecular Endocrinology*. **2010**;24(8):1615-1625.
53. Perdomo G, Kim DH, Zhang T, et al. A role of apolipoprotein D in triglyceride metabolism. *J Lipid Res*. **2010**;51(6):1298-1311.
54. Widenmaier SB, Kim SJ, Yang GK, et al. A GIP receptor agonist exhibits β -cell anti-apoptotic actions in rat models of diabetes resulting in improved β -cell function and glycemic control. *PLoS ONE*. **2010**;5(3):e9590. doi: 10.1371/journal.pone.0009590.
55. Gordts PLSM, Reekmans S, Lauwers A, Van Dongen A, Verbeek L, Roebroek AJM. Inactivation of the LRP1 intracellular NPXYxxL motif in LDLR-deficient mice enhances postprandial dyslipidemia and atherosclerosis. *Arterioscler Thromb Vasc Biol*. **2009**;29(suppl):1258-1264.
56. Krašnja MB, Černe D. Optimizacija analiznega postopka merjenja aktivnosti lipoproteinske lipaze v rakavem tkivu. *Farm Vestn*. **2009**;60(1):21-26.
57. Li X, Ge H, Weiszmann J, et al. Inhibition of lipolysis may contribute to the acute regulation of plasma FFA and glucose by FGF21 in ob/ob mice. *FEBS Lett*. **2009**;583(19):3230-3234.
58. Terrand J, Bruban V, Zhou L, et al. LRP1 controls intracellular cholesterol storage and fatty acid synthesis through modulation of wnt signaling. *J Biol Chem*. **2009**;284(1):381-388.
59. Trost Z, Sok M, Marc J, Černe D. Increased lipoprotein lipase activity in non-small cell lung cancer tissue predicts shorter patient survival. *Arch Med Res*. **2009**;40(5):364-368.
60. Yokota T, Nagashima M, Ghazizadeh M, Kawanami O. Increased effect of fucoidan on lipoprotein lipase secretion in adipocytes. *Life Sci*. **2009**;84(15-16):523-529.
61. Černe D, Melkic E, Trost Z, Sok M, Marc J. Lipoprotein lipase activity and gene expression in lung cancer and

- in adjacent noncancer lung tissue. *Exp Lung Res.* **2007**;33(5):217-225.
62. Kim SJ, Nian C, McIntosh CH. Activation of lipoprotein lipase by glucose-dependent insulinotropic polypeptide in adipocytes. A role for a protein kinase B, LKB1, and AMP-activated protein kinase cascade. *J Biol Chem.* **2007**;282(12):8557-8567.
 63. Kim SJ, Nian C, McIntosh CH. Resistin is a key mediator of glucose-dependent insulinotropic polypeptide (GIP) stimulation of lipoprotein lipase (LPL) activity in adipocytes. *J Biol Chem.* **2007**;282(47):34139-34147.
 64. Qu S, Perdomo G, Su D, D'Souza FM, Shachter NS, Dong HH. Effects of apoA-V on HDL and VLDL metabolism in APOC3 transgenic mice. *J Lipid Res.* **2007**;48(7):1476-1487.
 65. Kodera M, Hayakawa I, Komura K, et al. Anti-lipoprotein lipase antibody in systemic sclerosis: Association with elevated serum triglyceride concentrations. *J Rheumatol.* **2005**;32(4):629-636.
 66. Mizunoya W, Haramizu S, Shibakusa T, Okabe Y, Fushiki T. Dietary conjugated linoleic acid increases endurance capacity and fat oxidation in mice during exercise. *Lipids.* **2005**;40(3):265-271.
 67. Nishimura K, Shima K, Asakura M, Ohnishi Y, Yamasaki S. Effects of heparin administration on trypanosoma brucei gambiense infection in rats. *J Parasitol.* **2005**;91(1):219-222.
 68. Altomonte J, Cong L, Harbaran S, et al. Foxo1 mediates insulin action on apoC-III and triglyceride metabolism. *J Clin Invest.* **2004**;114(10):1493-1503.
 69. Yamazaki H, Arai M, Matsumura S, Inoue K, Fushiki T. Intracranial administration of transforming growth factor-beta3 increases fat oxidation in rats. *Am J Physiol Endocrinol Metab.* **2002**;283(3):E536-44.