

RB-MTP Cited References

Roar MTP Activity Assay Kit

1. Satılmış B, Kayhan B, Güldür T. Effects of reciprocal interactions between various dietary fats and circadian phases on postprandial hyperlipidemia in rats. *Biol Rhythm Res.* **2018**;49(1):77-91.
2. Singh RK, Lui E, Wright D, Taylor A, Bakovic M. Alcohol extract of north american ginseng (*panax quinquefolius*) reduces fatty liver, dyslipidemia, and other complications of metabolic syndrome in a mouse model. *Can J Physiol Pharmacol.* **2017**;95(9):1046-1057.
3. Murakami S, Fujita M, Nakamura M, et al. Taurine ameliorates cholesterol metabolism by stimulating bile acid production in high- cholesterol- fed rats. *Clinical and Experimental Pharmacology and Physiology.* **2016**;43(3):372-378.
4. Rösch K, Kwiatkowski M, Hofmann S, et al. Quantitative lipid droplet proteome analysis identifies annexin A3 as a cofactor for HCV particle production. *Cell Reports.* **2016**;16:3219-3231.
5. Gong Z, Su K, Cui L, et al. Central effects of humanin on hepatic triglyceride secretion. *American Journal of Physiology - Endocrinology and Metabolism.* **2015**;309(3):E283-E292. doi: 10.1152/ajpendo.00043.2015.
6. Nozaki Y, Fujita K, Wada K, et al. Deficiency of iNOS-derived NO accelerates lipid accumulation-independent liver fibrosis in non-alcoholic steatohepatitis mouse model. *BMC Gastroenterology.* **2015**;15(42).
7. Nozaki Y, Fujita K, Wada K, et al. Deficiency of eNOS exacerbates early-stage NAFLD pathogenesis by changing the fat distribution. *BMC Gastroenterol.* **2015**;15(177).
8. Wang S, Park S, Kodali VK, et al. Identification of protein disulfide isomerase 1 as a key isomerase for disulfide bond formation in apolipoprotein B100. *Mol Biol Cell.* **2015**;26(4):594-604.
9. Cruz-Garcia L, Schlegel A. Lxr-driven enterocyte lipid droplet formation delays transport of ingested lipids. *J Lipid Res.* **2014**;55(9):1944-1958.
10. Li X, Li Y, Yang W, et al. SREBP-1c overexpression induces triglycerides accumulation through increasing lipid synthesis and decreasing lipid oxidation and VLDL assembly in bovine hepatocytes. *J Steroid Biochem Mol Biol.* **2014**;143(0):174-182.
11. Wang X, Sugimoto K, Fujisawa T, et al. Novel effect of ezetimibe to inhibit the development of non-alcoholic fatty liver disease in fatty liver shionogi mouse. *Hepatology Research.* **2014**;44(1):102-113.
12. Cheng YL, Lan KH, Lee WP, et al. Amiodarone inhibits the entry and assembly steps of hepatitis C virus life cycle. *Clin Sci (Lond).* **2013**;125(9):439-448.
13. Frochot V, Alqub M, Cattin AL, et al. The transcription factor HNF-4 α : A key factor of the intestinal uptake of fatty acids in mouse. *American Journal of Physiology-Gastrointestinal and Liver Physiology.* **2012**;302(11):G1253-G1263.
14. Jaschke A, Chung B, Hesse D, et al. The GTPase ARFRP1 controls the lipidation of chylomicrons in the golgi of the intestinal epithelium. *Hum Mol Genet.* **2012**;21(14):3128-3142.
15. Massart J, Robin M, Noury F, et al. Pentoxifylline aggravates fatty liver in obese and diabetic ob/ob mice by increasing intestinal glucose absorption and activating hepatic lipogenesis. *Br J Pharmacol.* **2012**;165(5):1361-1374.
16. Singh RK, Fullerton MD, Vine D, Bakovic M. Mechanism of hypertriglyceridemia in CTP: Phosphoethanolamine cytidylyltransferase-deficient mice. *J Lipid Res.* **2012**;53(9):1811-1822.
17. Zhang B, Xue C, Hu X, et al. Dietary sea cucumber cerebroside alleviates orotic acid-induced excess hepatic adipogenesis in rats. *Lipids in Health and Disease.* **2012**;11(1):48.
18. Amigo L, Husche C, Zanlungo S, et al. Cholecystectomy increases hepatic triglyceride content and very-low-density lipoproteins production in mice. *Liver International.* **2011**;31(1):52-64.
19. Goldwasser J, Cohen PY, Lin W, et al. Naringenin inhibits the assembly and long-term production of infectious hepatitis C virus particles through a PPAR-mediated mechanism. *J Hepatol.* **2011**;55(5):963-971.
20. Harris C, Herker E, Farese RV, Ott M. The hepatitis C virus core protein decreases lipid droplet turnover: A mechanism for core-induced steatosis. *J Biol Chem.* **2011**;286(49):42615-42625.
21. Banerjee A, Meyer K, Mazumdar B, Ray RB, Ray R. Hepatitis C virus differentially modulates activation of forkhead transcription factors and insulin-induced metabolic gene expression. *J Virol.* **2010**;84(12):5936-5946.
22. Goldwasser J. *The grapefruit flavonoid naringenin as a hepatitis C virus therapy: Efficacy, mechanism and delivery.* [Ph. D.]. Massachusetts Institute of Technology; 2010.
23. Liu Y, Manchekar M, Sun Z, Richardson PE, Dashti N. Apolipoprotein B-containing lipoprotein assembly in microsomal triglyceride transfer protein-deficient McA-RH7777 cells. *J Lipid Res.* **2010**;51(8):2253-2264.
24. Wagoner J, Negash A, Kane OJ, et al. Multiple effects of silymarin on the hepatitis C virus lifecycle. *Hepatology.* **2010**;51(6):1912-1921.
25. Estellé J, Fernández A, Pérez-Enciso M, et al. A non-synonymous mutation in a conserved site of the MTTP gene is strongly associated with protein activity and fatty acid profile in pigs. *Anim Genet.* **2009**;40(6):813-820.
26. Greffhorst A, Parks EJ. Reduced insulin-mediated inhibition of VLDL secretion upon pharmacological activation of the liver X receptor in mice. *The Journal of Lipid Research.* **2009**;50(7):1374-1383.
27. Hernandez Vallejo SJ, Alqub M, Luquet S, et al. Short-term adaptation of postprandial lipoprotein secretion and intestinal gene expression to a high-fat diet. *Am J Physiol Gastrointest Liver Physiol.* **2009**;296(4):G782-92. doi: 10.1152/ajpgi.90324.2008.
28. Stewart BJ, Roede JR, Doorn JA, Petersen DR. Lipid aldehyde-mediated cross-linking of apolipoprotein B-100 inhibits secretion from HepG2 cells. *BBA-*

Molecular and Cell Biology of Lipids.
2009;1791(8):772-780.

29. Begriche K, Massart J, Abbey-Toby A, Igoudjil A, Lettéron P, Fromenty B. β -Aminoisobutyric acid prevents diet-induced obesity in mice with partial leptin deficiency. *Obesity*. **2008**;16(9):2053-2067.
30. Begriche K, Letteron P, Abbey-Toby A, et al. Partial leptin deficiency favors diet-induced obesity and related metabolic disorders in mice. *Am J Physiol Endocrinol Metab*. **2008**;294(5):E939-51.
31. Chen Z, Newberry EP, Norris JY, et al. ApoB100 is required for increased VLDL-triglyceride secretion by microsomal triglyceride transfer protein in ob/ob mice. *J Lipid Res*. **2008**;49(9):2013-2022. doi: 10.1194/jlr.M800240-JLR200.
32. Li Y, Sugiyama E, Yokoyama S, Jiang L, Tanaka N, Aoyama T. Molecular mechanism of age-specific hepatic lipid accumulation in PPARalpha (+/-):LDLR (+/-) mice, an obese mouse model. *Lipids*. **2008**;43(4):301-312.
33. Lo CM, Nordskog BK, Nauli AM, et al. Why does the gut choose apolipoprotein B48 but not B100 for chylomicron formation? *American Journal of Physiology- Gastrointestinal and Liver Physiology*. **2008**;294(1):G344-G352.
34. Nahmias Y, Goldwasser J, Casali M, et al. Apolipoprotein B-dependent hepatitis C virus secretion is inhibited by the grapefruit flavonoid naringenin. *Hepatology*. **2008**;47(5):1437-1445.
35. Stafford JM, Yu F, Printz R, Hasty AH, Swift LL, Niswender KD. Central nervous system neuropeptide Y signaling modulates VLDL triglyceride secretion. *Diabetes*. **2008**;57(6):1482-1490.
36. Agarwal-Mawal A, Murray CM, Belkhome S, Cheema SK. Differential regulation of cholesterol homeostasis in transgenic mice expressing human cholesterol ester transfer protein. *Can J Physiol Pharmacol*. **2007**;85(3-4):430-438.
37. Castro J, Amigo L, Miquel JF, et al. Increased activity of hepatic microsomal triglyceride transfer protein and bile acid synthesis in gallstone disease. *Hepatology*. **2007**;45(5):1261-1266.
38. Cheema SK, Cornish ML. Bio F1B hamster: A unique animal model with reduced lipoprotein lipase activity to investigate nutrient mediated regulation of lipoprotein metabolism. *Nutr Metab (Lond)*. **2007**;4:27.
39. Kosone T, Takagi H, Horiguchi N, et al. HGF ameliorates a high-fat diet-induced fatty liver. *Am J Physiol Gastrointest Liver Physiol*. **2007**;293(1):G204-10.
40. Maiyoh GK, Kuh JE, Casaschi A, Theriault AG. Cruciferous indole-3-carbinol inhibits apolipoprotein B secretion in HepG2 cells. *J Nutr*. **2007**;137(10):2185-2189.
41. Bergheim I, Guo L, Davis MA, et al. Metformin prevents alcohol-induced liver injury in the mouse: Critical role of plasminogen activator inhibitor-1. *Gastroenterology*. **2006**;130(7):2099-2112.
42. Briand F, Serisier S, Krempf M, et al. Atorvastatin increases intestinal cholesterol absorption in dogs. *J Nutr*. **2006**;136(7 Suppl):2034S-2036S.
43. Lambert G, Jarnoux AL, Pineau T, et al. Fasting induces hyperlipidemia in mice overexpressing proprotein convertase subtilisin kexin type 9: Lack of modulation of very-low-density lipoprotein hepatic output by the low-density lipoprotein receptor. *Endocrinology*. **2006**;147(10):4985-4995.
44. Li L, Stillemark-Billton P, Beck C, et al. Epigallocatechin gallate increases the formation of cytosolic lipid droplets and decreases the secretion of apoB-100 VLDL. *J Lipid Res*. **2006**;47(1):67-77. doi: 10.1194/jlr.M500424-JLR200.
45. PAUQUAI T, BOUCHOUX J, CHATEAU D, et al. Adaptation of enterocytic caco-2 cells to glucose modulates triacylglycerol-rich lipoprotein secretion through triacylglycerol targeting into the endoplasmic reticulum lumen. *Biochem J*. **2006**;395:393-403.
46. Ameen C, Edvardsson U, Ljungberg A, et al. Activation of peroxisome proliferator-activated receptor alpha increases the expression and activity of microsomal triglyceride transfer protein in the liver. *J Biol Chem*. **2005**;280(2):1224-1229.
47. Domitrovich AM, Felmlee DJ, Siddiqui A. Hepatitis C virus nonstructural proteins inhibit apolipoprotein B100 secretion. *J Biol Chem*. **2005**;280(48):39802-39808.
48. Lewis GF, Uffelman K, Naples M, Szeto L, Haidari M, Adeli K. Intestinal lipoprotein overproduction, a newly recognized component of insulin resistance, is ameliorated by the insulin sensitizer rosiglitazone: Studies in the fructose-fed syrian golden hamster. *Endocrinology*. **2005**;146(1):247-255.
49. Qiu W, Taghibiglou C, Avramoglu RK, et al. Oleate-mediated stimulation of microsomal triglyceride transfer protein (MTP) gene promoter: Implications for hepatic MTP overexpression in insulin resistance†. *Biochemistry (N Y)*. **2005**;44(8):3041-3049.
50. Vidal R, Hernandez-Vallejo S, Pauquai T, et al. Apple procyanidins decrease cholesterol esterification and lipoprotein secretion in caco-2/TC7 enterocytes. *J Lipid Res*. **2005**;46(2):258-268.
51. Casaschi A, Maiyoh GK, Rubio BK, Li RW, Adeli K, Theriault AG. The chalcone xanthohumol inhibits triglyceride and apolipoprotein B secretion in HepG2 cells. *J Nutr*. **2004**;134(6):1340-1346.
52. Casaschi A, Rubio BK, Maiyoh GK, Theriault AG. Inhibitory activity of diacylglycerol acyltransferase (DGAT) and microsomal triglyceride transfer protein (MTP) by the flavonoid, taxifolin, in HepG2 cells: Potential role in the regulation of apolipoprotein B secretion. *Atherosclerosis*. **2004**;176(2):247-253.
53. Kurowska EM, Manthey JA, Casaschi A, Theriault AG. Modulation of HepG2 cell net apolipoprotein B secretion by the citrus polymethoxyflavone, tangeretin. *Lipids*. **2004**;39(2):143-151.
54. Aoki T, Yamazaki H, Tamaki T, Sato F, Kitahara M, Saito Y. Triglyceride-lowering effect of pitavastatin in a guinea pig model of postprandial lipemia. *Arzneimittelforschung*. **2003**;53(03):154-158.
55. Higashi Y, Itabe H, Fukase H, Mori M, Fujimoto Y, Takano T. Transmembrane lipid transfer is crucial for providing neutral lipids during very low density lipoprotein assembly in endoplasmic reticulum. *J Biol Chem*. **2003**;278(24):21450-21458.
56. Letteron P, Sutton A, Mansouri A, Fromenty B, Pessayre D. Inhibition of microsomal triglyceride transfer protein: Another mechanism for drug-induced steatosis in mice. *Hepatology*. **2003**;38(1):133-140.

57. Casaschi A, Wang Q, Dang K, Richards A, Theriault A. Intestinal apolipoprotein B secretion is inhibited by the flavonoid quercetin: Potential role of microsomal triglyceride transfer protein and diacylglycerol acyltransferase. *Lipids*. **2002**;37(7):647-652.
58. Perlemuter G, Sabile A, Letteron P, et al. Hepatitis C virus core protein inhibits microsomal triglyceride transfer protein activity and very low density lipoprotein secretion: A model of viral-related steatosis. *FASEB J*. **2002**;16(2):185-194.
59. Taguchi H, Omachi T, Nagao T, Matsuo N, Tokimitsu I, Itakura H. Dietary diacylglycerol suppresses high fat diet-induced hepatic fat accumulation and microsomal triacylglycerol transfer protein activity in rats. *J Nutr Biochem*. **2002**;13(11):678-683.
60. Fisher EA, Pan M, Chen X, et al. The triple threat to nascent apolipoprotein B. evidence for multiple, distinct degradative pathways. *J Biol Chem*. **2001**;276(30):27855-27863.
61. Funatsu T, Suzuki K, Goto M, et al. Prolonged inhibition of cholesterol synthesis by atorvastatin inhibits apo B-100 and triglyceride secretion from HepG2 cells. *Atherosclerosis*. **2001**;157(1):107-115.
62. Jin FY, Kamanna VS, Kashyap ML. Niacin accelerates intracellular ApoB degradation by inhibiting triacylglycerol synthesis in human hepatoblastoma (HepG2) cells. *Arterioscler Thromb Vasc Biol*. **1999**;19(4):1051-1059.